

LED CORN LAMP

Zero Maintenance Alternative



COMES WITH
DUST COVER
FOR EXTRA PROTECTION

**3
YEAR**
WARRANTY
WITH ONLINE
REGISTRATION

FEATURES:

- 110V - 240V - suitable for site lighting
- Wide range of wattages - 20W to 240W
- Light output up to 140lm per Watt
- 20W 125lm per Watt 100W / 120W 140lm per Watt
- Aluminium heat sink - no internal fan required
- Proven and constantly improved efficacy
- Robust aluminium and polycarbonate construction - IP64 rated
- Up to 73% energy saving payback from 14 months
- Easy to fit - no control gear required
- Our corn lamps are very efficient replacements for metal halide and
- High-pressure sodium (SON) lamps in all existing applications

APPLICATIONS



COMMERCIAL



COMMERCIAL
KITCHEN



FACTORIES



INDUSTRIAL



WAREHOUSE

LED CORN LAMP

Zero Maintenance Alternative

BRIGHT SOURCE

POWER	REPLACEMENT FOR	LUMENS	TEMP	CAP	DIMENSIONS (DIAMETER X LENGTH)	ITEM #
20W	70W	2,500	3000K	E27	60mm (D) x 148mm (L)	247586
			4000K	E27	60mm (D) x 148mm (L)	247609
			6000K	E27	60mm (D) x 148mm (L)	247487
				E40	60mm (D) x 163mm (L)	247470
30W	100W	3,900	3000K	E27	60mm (D) x 173mm (L)	247593
			4000K	E27	60mm (D) x 173mm (L)	247616
			6000K	E27	60mm (D) x 173mm (L)	247500
				E40	60mm (D) x 188mm (L)	247494
40W	150W	5,200	4000K	E40	85mm (D) x 216mm (L)	247623
			6000K	E27	85mm (D) x 195 mm (L)	247524
				E40	85mm (D) x 216mm (L)	247517
60W	200W	7,800	4000K	E40	85mm (D) x 255mm (L)	247630
			6000K	E40	60mm (D) x 173mm (L)	247548
80W	250W	10,800	4000K	E40	130mm (D) x 255mm (L)	247647
			6000K	E40	130mm (D) x 255mm (L)	247555
100W	350W	14,000	4000K	E40	130mm (D) x 267mm (L)	247654
			6000K	E40	130mm (D) x 267mm (L)	247562
120W	400W	17,000	4000K	E40	130mm (D) x 288mm (L)	247661
			6000K	E40	130mm (D) x 288mm (L)	247579
150W	450W	20,000	6000K	E40	128mm (D) x 315mm (L)	247111
200W	600W	25,800	6000K	E40	128mm (D) x 335mm (L)	247128
240W	750W	34,800	6000K	E40	140mm (D) x 335mm (L)	247135



Formerly rated A+
(same quality,
new energy rating
label regulations)



LED CORN LAMP

Zero Maintenance Alternative

LUX LEVEL TABLE


M	(Lx)	M	(Lx)	M	(Lx)
2	340	2	530	2	706
3	151	3	236	3	314
4	85	4	133	4	177
5	54	5	85	5	113

M	(Lx)	M	(Lx)	M	(Lx)
2	1060	2	1467	2	1902
3	471	3	652	3	845
4	265	4	367	4	476
5	170	5	235	5	304

M	(Lx)	M	(Lx)
2	2309	2	2717
3	1026	3	1208
4	577	4	679
5	370	5	435

M	(Lx)	M	(Lx)
2	3505	2	4727
3	1558	3	2101
4	876	4	1182
5	561	5	756

BRIGHT SOURCE



Formerly rated A+
(same quality,
new energy rating
label regulations)

